

## EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
1.1	38	GUALTIERI-DEVLIN-M.in.	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.2	1279	turbine and (blade fin impeller vane) same (inductor L ) same (capacitor C) LS(IC) same parallel	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.3	132	3.2 and frequency	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.4	55	("3177711"   "3619808"   "4186792"   "4230436"   "4417208"   "4563643"   "4604251"   "4644270"   "4842477"   "4843259"   "5126664"   "5180978"   "5497147"   "5504425"   "5742161"   "5854553"   "6069475"   "6211667"   "6288536"   "6335619"   "6346807"   "6433541"   "6462536"   "6566862"   "6588216").PN.	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.5	11	("3177711").URPN.	USPAT	OR	ON	2008/09/18 11:13
1.6	29	turbine and (RLC) same parallel	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.7	949	turbine and (blade fin impeller vane) and (inductor L ) same (capacitor C) LSIC RS11S(IC) and amplitude	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.8	10338	324207.11,207.15,207.16,207.17,207.23,207.25,207.26,225,234,236,239,654,655,658,173,166,164.ccls: 73/861.77,861.78,861.79,861.87.ccls.	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

1.9	515	3.8 and turbine	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.10	530	3.9 and (blade fin impeller vane) and ((inductor L ) same (capacitor C) LSIC RSILSIC) and amplitude	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.11	553	3.9 and (blade fin impeller vane) and ((inductor L winding coil ) same (capacitor C) LSIC RSILSIC) and amplitude	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.12	523	3.11 not L10	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.13	1418	turbine and (blade fin impeller vane) same ((inductor L winding coil) same (capacitor C) LSIC RSILSIC) same parallel	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.14	184	3.13 and frequency	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.15	552	3.14 not L3	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.16	1286	3.13 not L3	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.17	1234	3.16 not L15	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

1.18	21	"3609580" "3851242" "4042876" "4089794" "4160204" "4414508" "4450408" "4580097" "4598260" "4659988" "4841245" "4847556" "4851770" "4875007" "4952891" "5144231" "5180978" "5198764" "5365787" "5420607" "5459406" PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 11:13
1.19	25	"5854553")URPN.	USPAT	OR	ON	2008/09/18 11:13
1.20	1279	turbine and (blade fin impeller vane) same (inductor L ) same (capacitor C) L51C) same parallel	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.21	132	1.20 and frequency	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.22	11	"3177711")URPN.	USPAT	OR	ON	2008/09/18 11:13
1.23	38	GUALTIERI-DEVLIN-Min.	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.24	10338	324/207.11,207.15,207.16,207.17,207.17,207.23,207.25,207.26,225,234,236,239,654,655,658,173,166,164 ccls: 73/861.77,861.78,861.79,861.87. ccls.	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.25	515	1.24 and turbine	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.26	30	1.25 and (blade fin impeller vane) and ((inductor L ) same (capacitor C) L51C R51L51C) and amplitude	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.27	53	1.25 and (blade fin impeller vane) and ((inductor L winding coil ) same (capacitor C) L51C R51L51C) and amplitude	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

1.28	123	1.27 not 1.26	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.29	949	turbine and (blade fin impeller vane) and ((inductor L ) same (capacitor C) L\$IC R\$IL\$IC) and amplitude	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.30	129	turbine and (RLC) same parallel	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.31	55	"3177711"   "3619805"   "4186792"   "4230436"   "4417208"   "4563643"   "4604251"   "4644270"   "4842477"   "4843259"   "5126664"   "5180978"   "5497147"   "5504425"   "5742161"   "5854553"   "6069475"   "6211667"   "6288536"   "6335619"   "6346807"   "6433541"   "6462536"   "6566862"   "6658216".PN.	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.32	1418	turbine and (blade fin impeller vane) same ((inductor L winding coil) same (capacitor C) L\$IC R\$IL\$IC) same parallel	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.33	184	1.32 and frequency	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.34	52	1.33 not 1.21	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.35	1286	1.32 not 1.21	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.36	1234	1.35 not 1.34	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

1.37	1135	turbine and (blade fin impeller vane) and ((inductor L winding coil ) same (capacitor C) LSIC RS1LS1C) and amplitude	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.38	210	{cos{axial near3 cable} near{0 (capacitor capacitance) same (coil winding) same parallel	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.39	21	{ "3609580"   "3851242"   "4042876"   "4059794"   "4160204"   "4414508"   "4450405"   "4580097"   "4598260"   "4659988"   "4841245"   "4847556"   "4851770"   "4875007"   "4952891"   "5144231"   "5180978"   "5198764"   "5365787"   "5420507"   "5459405" }.PN.	{US-PGPUB; USPAT, USOCR	OR	ON	2008/09/18 11:13
1.40	25	{ "5854553" }.URPN.	{USPAT, USOCR	OR	ON	2008/09/18 11:13
1.41	36	{parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and turbine and (fin frequency) near3 demodulat\$5	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.42	32	{parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and (fin frequency) near3 demodulat\$5	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.43	13	{parallel with (LC inductor with capacitor tank resonan\$7)) and (blade fin impeller vane) and turbine and demodulat\$5	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.44	157	{sens\$3 probe transducer detect\$3) same (turbine blade fin impeller vane) and (fin frequency) near3 demodulat\$5 same (amplitude magnitude)	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.45	77	1.44 and (inductor same capacitor resonan\$5 tank LC)	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.46	91	1.44 and ((coil winding inductor) same capacitor resonan\$5 tank LC)	{US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

1.47	1	("2005/0088171").URPN.	USPAT	OR	ON	2008/09/18 11:13
1.48	9	("2455345"   "2723562"   "3208269"   "3377556"   "4164866").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/18 11:13
1.49	6	("5392657").URPN.	USPAT	OR	ON	2008/09/18 11:13
1.50	24	(lc (inductor winding coil) same capacitor) same (turbine blade fin impeller vane) and (lin frequency) near3 demodulat5 same (amplitude magnitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.51	11	("3177711").URPN.	USPAT	OR	ON	2008/09/18 11:13
1.52	3443	(induct\$4 winding coil) with capacitor with (sens\$3 probe transducer detect\$3) same (parallel with (LC (induct\$4 winding coil) with capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13
1.53	274	324/25 ccls. and (induct\$4 winding coil) with capacitor with (sens\$3 probe transducer detect\$3) same (parallel with (LC (induct\$4 winding coil) with capacitor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/18 11:13

9/18/2008 11:30:24 AM

C:\Documents and Settings\dschindler\My Documents\EAST\Workspaces\10696215RCE\_A2.wsp